











































- [18] K. W. Wan, K. M. Lam, and K. C. Ng, "An accurate active shape model for facial feature extraction," *Pattern Recognition Letters*, vol.26, No. 15, 2005, pp.2409-23.
- [19] T. F. Cootes, G. J. Edwards, C. J. Taylor, "Active appearance models," *Computer Vision—ECCV'98*, Springer Berlin Heidelberg, 1998, pp. 484-498.
- [20] B. Fasel and J. Luettin, "Automatic facial expression analysis: a survey," *Pattern recognition*, vol.36, No.1, 2003, pp. 259-275.
- [21] B. Lucas and T. Kanade, "An iterative image restoration technique with an application to stereo vision," *Proceedings of the DARPA IU Workshop*, 1981, pp.121-130.
- [22] G. J. Burghouts and K. Schutte, "Spatio-temporal layout of human actions for improved bag-of-words action detection," *Pattern Recognition Letters*, vol.34, No. 15, 2013, pp.1861-1869.
- [23] D. M. Blei, A. Y. Ng and M. I. Jordan, "Latent dirichlet allocation," *The Journal of Machine Learning Research*, No. 3, 2003, pp.993-1022.
- [24] L. Shang and K. P Chan, "A temporal latent topic model for facial expression recognition," *Computer Vision—ACCV 2010*, Springer Berlin Heidelberg, 2011, pp. 51-63.
- [25] A. Bansal, S. Chaudhary and S. D. Roy, "A novel LDA and HMM-Based technique for emotion recognition from facial expressions," *Multimodal Pattern Recognition of Social Signals in Human-Computer-Interaction*, Springer Berlin Heidelberg, 2013, pp. 19-26.
- [26] F. Monay and D. Gatica-Perez, "Modeling semantic aspects for cross-media image indexing," *2007 IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol.29, No. 10, 2007, pp.1802-1817.
- [27] G. Sen Gupta, S.C. Mukhopadhyay and M Finnie, "Wi-Fi Based Control of a Robotic Arm with Remote Vision," *Proceedings of 2009 IEEE I2MTC Conference*, Singapore, May 5-7, 2009, pp. 557-562.
- [28] H. Zhang, Z. Liu and H. Zhao, "Human activities for classification via feature points," *Information Technology Journal*, vol.10, No. 5, 2011, pp.974-982.
- [29] J. C. Niebles, H. Wang and L. Fei-Fei, "Unsupervised learning of human action categories using spatial-temporal words," *International Journal of Computer Vision*, vol.79, No3, 2008, pp.299-318.
- [30] F. Cheng, J. Yu and H. Xiong, "Facial expression recognition in JAFFE dataset based on Gaussian process classification," *IEEE Transactions on Neural Networks*, vol.21, No.10, 2010, pp.1685-1690.